



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03368035.6

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

THIS PAGE BLANK (USPTO)



Anmeldung Nr:
Application no.: 03368035.6
Demande no:

Anmeldetag:
Date of filing: 18.04.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

INTERNATIONAL BUSINESS MACHINES CORPORATION

Armonk, NY 10504
ETATS-UNIS D'AMERIQUE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

System and method to enable blind people to have access to information printed on
a physical document

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G09B21/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

THIS PAGE BLANK (USPTO)

SYSTEM AND METHOD TO ENABLE BLIND PEOPLE TO HAVE ACCESS TO INFORMATION PRINTED ON A PHYSICAL DOCUMENT

Field of the invention

5 The present invention generally relates to a system and method for enabling blind and visually impaired people to interact with a physical document and to have access to information printed on a physical document.

Background of the invention

Accessibility

10 In broad terms, accessibility is the ability for a user to access and use information and technology even if this user operates in constrained conditions. Information and technology can be accessible through appropriate specialized technical interfaces. The present invention is directed to a technology to enable visually impaired and blind people to access information printed on physical
15 documents.

Many groups, in governments, private industries and universities, are working on ways to guarantee an universal access to the on-line world for all individuals in the society. This social movement, combined with a strong push to provide a better accessibility in the workplace, drives an urgent call for new technologies.

20 As information technology (IT) penetrates all commercial and public transactions and communications, it is important to ensure accessibility to everyone. Governments have begun to define new regulations and standards to enable people with disabilities to easily access information technology. For instance, in the US, the federal, state and local governments have initiated a legislation requiring computer
25 technology to be accessible to people with disabilities (refer to web site www.access-board.gov). More particularly, in June 2001, the U.S. Federal Government has implemented a legislation known as "Section 508". Section 508 has changed the rules of the game on how the government must buy information technology and in particular "accessible" IT.

Countries have established regulations that require accessibility at some level, other countries are in the process of developing such regulations. In addition, international organizations are working to develop accessibility standards.

Accessibility Aids for Blind People

5 For someone who is completely unable to use a normal screen or read a printed text, there are two alternatives: Braille reading or speech. Currently available assistance for blind and visually impaired people comprises a wide range of technical solutions, including document scanners and enlargers, interactive speech software and cognitive tools, screen reader software and screen enlargement
10 programs ...

- **Screen Readers:** This technology converts text (or other elements) on a computer screen to speech, allowing blind or visually impaired users to hear what is displayed on their computer screen. For example, *"Jaws for Windows"* is a computer screen-reader application from Henter-Joyce. It operates with *Windows*
15 *NT 4.0*, *Windows 98* and *Windows 95* and includes an enhanced software speech synthesizer for speaking in several languages.

Note : *Windows* is a trademark of Microsoft Corporation, a company with corporate headquarters in Redmond, Washington, USA.

- **Web Page Readers:** This technology reads aloud text just as it appears on Web
20 pages. For example, *"Home Page Reader"* of IBM, understands HTML (Hypertext Markup Language), the programming language used to design Web pages. Home Page Reader can accurately read text comprised in tables, or included in graphic descriptions, so that blind users can easily navigate on the Web.

Note : *IBM* is a trademark of International Business Machines Corporation, a
25 company with corporate headquarters in Armonk, New York, USA.

- **Mail Readers:** This technology uses a screen reader for converting the text of an e-mail to speech. For example, *"Lotus Notes Release 5"* of IBM, enables blind users to check the status of their e-mail (unread, read, deleted), to use calendar functions, and to file and organize documents.

- **Braille Editing Systems (BES):** These systems allow users to input Braille characters from the keyboard. For instance, IBM provides a BES that can be downloaded from the IBM Web.
- 5 • **Scanning Reading Systems:** The information printed on a physical document is first scanned. Then, using an OCR (Optical Character Recognition) technique and a speech synthesizer, this information can be read to blind people. For example, "*Open Book: Ruby Edition 4.0*" of IBM is a program that transforms a computer, a sound card, and a scanner into a reading machine for reading books, magazines, memos, bills, and many other printed documents.
- 10 • **Screen Magnifiers:** These software tools allow a visually impaired user to magnify text and images on a computer screen. For example, "*MAGic Screen Magnification*", from Henter-Joyce, is a screen magnification product for Windows.
- 15 • **Portable document magnifiers:** The MAXPort by NanoPac, Inc. is a portable magnifying system. The user wears a special pair of glasses, points at a particular part of a physical document and can see a magnified image of said particular part.

Access to Printed Material

Reading manuals and reports at work, textbooks at school, and menus at
20 restaurants ... and more generally reading printed material at any time and in any place is part of the daily live. The present invention is based on the following observation : it is easier and quicker for sighted people to turn over pages of a book than to browse electronic pages on a computer screen. It would be an improvement to provide a similar capacity to blind and visually impaired people. For instance, it
25 would be a real improvement for blind people to have the possibility to access information printed on a physical document directly from this physical document.

When we compare paper based information with computer based information, paper has a number of useful properties that computers cannot provide. For instance:

- paper is portable, familiar and can be easily distributed;
- 5 • paper is easy to read, mark, and manipulate.

Many electronic systems attempt to replace paper. They offer, for instance, a better access to multimedia services. However, most users prefer to work with paper and it is difficult to foresee, in a near future, a general and massive replacement of paper books by electronic books (e.g., by Web accessible e-books).

10 Publication entitled "*The Last Book*", IBM Systems Journal, Vol 36, No. 3 Vol 36, No. 3 - 1997, by J. Jacobson, B. Comiskey, C. Turner, J. Albert, and P. Tsao of the MIT Media Laboratory, compares printed books and computer screens in the following terms:

15 *"A book represents a fundamentally different entity than a computer screen in that it is a physical embodiment of a large number of simultaneous high-resolution displays. When we turn the page, we do not lose the previous page. Through evolution the brain has developed a highly sophisticated spatial map. Persons familiar with a manual or textbook can find information that they are seeking with high specificity, as evidenced by their ability to remember*
20 *whether something that was seen only briefly was on the right side or left side of a page, for instance. Furthermore their haptic connection with the brain's spatial map comprises a highly natural and effective interface, when such information is embodied on actual multiple physical pages.*

25 *Another aspect of embodying information on multiple, simultaneous pages is that of serendipity and comparison. We may leaf through a large volume of text and graphics, inserting a finger bookmark into those areas of greatest interest. Similarly, we may assemble a large body of similar matter in order to view*

elements in contrast to one another, such as might be done to determine which of a particular set of graphical designs is most satisfying”.

Publication entitled “A Comparison of Reading Paper and On-Line Documents”, O'Hara and Sellen, XRCE: Technical Report: EPC-1997-101, Xerox Co. summarizes a study comparing reading from paper to reading on-line. As reported in this article :

10 *“Critical differences have to do with the major advantages paper offers in supporting annotation while reading, quick navigation, and flexibility of spatial layout. These, in turn, allow readers to deepen their understanding of the text, extract a sense of its structure, create a plan for writing, cross-refer to other documents, and interleave reading and writing”.*

As reported in an article entitled “Paper is still with us”, by Ph. Jane Benson - The Journal of Electronic Publishing, published by the University of Michigan Press - available on the following Web site :

15 <http://www.press.umich.edu/jep/07-02/benson0702.html>

“Studies of professionals at work underscore three points that are critical to the design of scientific information: paper isn't going away, reading and writing are inextricably intertwined, and readers sample and navigate text according to specific purposes and tasks”.

20 Also, in the article entitled “Electronic Journals : What do users think of them?”, by Dr Cliff McKnight, Department of Information and Library Studies, Loughborough University, Loughborough, Leicester LE11 3TU, UK, available on the following Web site:

<http://www.dl.ulis.ac.jp/ISDL97/proceedings/mcknight.html>

25 we can read :

“A paper journal article is more easily manipulated than an electronic version. As one student subject in the Cafe Jus study remarked: 'It is easier to turn the page

of a paper journal'. More than just page-turning, though, regular journal readers understand the structure of journal articles and use that knowledge to aid manipulation, providing rapid access to the information in an article. For example, Dillon showed that people could reconstruct articles from a set of paragraphs with about 80% accuracy. They also displayed a similar level of accuracy in saying which section of an article isolated sentences had been taken from. Watching a reader pick up an issue of a journal, skim through the contents, turn to an article and skim through it and then turn back to the contents, all in a matter of seconds, it is clear that such skills are largely automatic. Watching people trying to do the same thing in an electronic journal system, it is clear that people will have to learn a different set of skills".

Sighted people can browse very easily through paper catalogs, magazines, newspapers, maps and books by flipping through the pages and by "glancing" at pictures and text. It is also very easy for them to mark and return to specific parts of a physical document. It would be desirable to offer similar possibilities to blind and visually impaired people and in particular to enable these people to easily browse through the same paper catalogs, magazines, newspapers, maps and books, and to easily "access" (receive and hear) information related to pictures and text printed on pages of these documents.

The convenience and usefulness of a system for enabling blind and visually impaired people to access information directly from hard-copy documents, to turn over pages and to manually search for text, is well illustrated by in the following article entitled "Talking Books Speak Volumes", by Kendra Mayfield, Wired News, July 13, 2000, available on the following Web site:

<http://www.wired.com/news/gizmos/0,1452,37500,00.html>

"When George Kerscher began to lose his sight in his late twenties, the former teacher realized that he might never be able to read the same way again. Since he could no longer delve through the written page Kerscher, who has the degenerative disease retinitis pigmentosa, began listening to audio books. But while these cassettes helped him read, they were limited. He couldn't turn pages

or search for text. He had to endure hours of recordings to find the information he needed".

In fact audio tapes have a drawback which is similar to the drawback experienced when we scroll computer screens: the user can only go forward or
5 backwards. The possibilities of navigation are very limited. It is difficult for people with visual impairments, to use audio books or screen readers the same way sighted people do. For instance, looking up a recipe or searching for a gardening tip on an audio tape or on a long electronic book is extremely tedious and time consuming.

Nowadays, digital audio books are designed to make published documents
10 accessible and navigable for to blind or visually impaired persons. The ANSI/NISO Z39.86 standard, documented on the following web site :

<http://www.niso.org/standards/resources/Z39-86-2002.html>,

defines a format and content for an electronic file set that comprises a digital audio book and establishes a limited set of requirements for digital audio books playback
15 devices. It uses established and new specifications to delineate the structure of digital audio books whose content can range from text with corresponding spoken audio, to audio with little or no text. However, if a sighted user of a physical book wishes to discuss a particular section of such this book with a blind user, the blind user must actively search for a digital copy of the same edition of the book and then
20 must search for the relevant section. There is a need to enable individuals familiar with paper documents to continue to use those same documents as they age and their vision may be deteriorating. There is also a need to provide a mechanism by which the text of a familiar physical document may be supplemented by speech output or display of a more easily readable version of the text.

25 One of the characteristics of the publishing industry is that most publications can be delivered in a digital form. In some cases, the digital form has really supplanted the physical one. In other cases, the digital form appears complementary to the physical one. However, in most cases, the physical form is till dominant. In fact, in terms of business models, with the exception of journals and directories,
30 which tend to follow a subscription model, most publishers have been unable to create profitable digital products and services, able to generate significant incomes.

Digital audio books represent an important improvement compared to traditional analog audio books. For instance, digital audio books provide access to virtually stored information, offer improved navigation capabilities, allow the use of keywords for searching and directly accessing text in electronic books... However, due to a relatively limited number of vision impaired users, the cost of such digital audio books remains relatively high. It results from this that a very small number of titles are published both, as printed books and as digital audio books.

The necessity of using a natural friendly interface for having access to information has been precisely summarized by Ann Light, in the article entitled "Fourteen Users in Search of a Newspaper: the Effect of Expectation on Online Behaviour", School of Cognitive and Computing Sciences, University of Sussex, CSRP507, available at: the Internet address:

<http://www.cogs.susx.ac.uk/users/annl/Expectations.htm>

"People expect the friendly familiar paradigm of media to guide them through uncharted territories of information".

According to prior art, electronic reading machines using computer-based optical character recognition (OCR) are widely used to help visually impaired people and people with reading difficulties to read information on paper documents. An electronic reading machine basically comprises

- a personal computer connected to a scanner and operating with an OCR software, and
- text-to-speech hardware and software.

Usually, a method for electronically reading a printed document comprises the following steps :

- placing a page of a text document on a scanner;
- digitizing this page for obtaining a pixel bit map of the page;
- converting this image to text by means of an OCR program executed in a personal computer, this personal computer being connected to the scanner; and
- generating speech from the text by means of a text-to-speech program.

Currently, reading machines are provided by a variety of companies, including IBM, Telesensory, Arkenstone and Kurzweil Educational Systems. Unfortunately, electronic reading machines suffer from a variety of functional and operational deficiencies that limit their usefulness. For instance:

- 5 • scanning a page is a mechanical operation. It takes time to move the electro-optical components of the scanner over the page.
- it takes time also to transmit the information from the scanner to the computer.
- the OCR process for an entire scanned page, takes a lot of time and resources.
- only a single page can be scanned at the same time.
- 10 • OCR is prone to error. Prime Recognition (<http://www.primerec.com/>), in an advertisement for the product PrimeOCR, quotes a typical error rate of 2% for conventional OCR algorithms. PrimeOCR itself reports an error rate of 0.4%, or 8 errors in a typical page of 2000 characters.

As a result, even for an experienced user, it can take more than a minute
15 before an electronic reading machine can read a single scanned page. During of after the reading, errors must be corrected. The process is repeated for every page in the document.

Since scanners are limited in size, another drawback concerning electronic reading machines is the reading of pages with large formats (a newspaper page for
20 instance). Such pages cannot be scanned in one pass but require multiple passes.

Moreover, a complete electronic reading system with a computer, a scanner, and speech hardware and software is bulky and non portable.

It is clear that reading a text on a paper document by means of an electronic reading machine involves complex manipulations and time consuming operations.
25 However, there are other important deficiencies that limit in practice the acceptance and usefulness of electronic reading machines. Basically, the tasks required for using these electronic reading machines are far to be "natural". Reading physical documents by means of an electronic reading machine, has nothing in common with the automatic "natural" way of reading practiced by sighted people.

A mobile scanning pen comprising an optical character recognition function, can also be used for producing a digital version of a printed document. Wizcom's Quicklink Pen Personal Scanner is an example of such pen. However, scanning printed words using such a pen can be rapidly tedious and laborious. Each line must
5 be individually (and accurately) scanned and a reasonable visual acuity is required. The present invention does not require a good vision, as only two physical markers are required to define the part of the document that must be read.

As a conclusion, it is important to enable blind people to easily and conveniently access information comprised in hard-copy publications that are read
10 everyday by sighted people.

Objects of the invention

It is an object of the invention to enable a blind or visually impaired person, as well as a person with reading disabilities, to access information printed on a physical document and information related to this printed information.

15 It is another object of the invention to enable a blind or visually impaired person to access information directly from a physical document without using an electronic reading machine based on a page scanner and/or an optical character recognition (OCR).

It is another object of the invention to enable a blind or visually impaired
20 person to easily select a part of a physical document simply by touching (e.g., with the fingertip or with a pen) this physical document.

It is a further object of the present invention to enable a blind or visually impaired person to take a physical document, to open it at any page, to select with a finger or a pen a part of this page and to hear the text of the selected part.

It is also an object of the present invention to enable both magnification and electronic reading of a selected part of a physical document.

It is a further object of the present invention to enable a person, after having selected a part of a printed document comprising text and images, to hear the text,
5 to receive descriptions of images, and to access multimedia information or services related to said printed text and images.

It is a further object of the invention to provide a system that, apart from providing to a blind or visually impaired person, an access to information directly from a physical document, can also be used for many other applications in the daily
10 life, such as helping children to read, enabling people with reading difficulties to read, enabling sighted people to read in the dark, enabling people with a poor vision to read small print on paper documents...

It is a further object of the present invention to enable individuals familiar with
15 paper documents to continue to use the same documents as they age and their vision may be deteriorating and to supplement the text of a familiar physical document by speech output or display of a more easily readable version of the text.

Summary of the invention

As defined in independent claims, the invention relates generally to a method,
20 a system and a computer program for enabling a blind or visually impaired person, to access information printed on a physical document, directly from said physical document, simply by pointing and touching a desired part of said document. More particularly, the method comprises the steps of :

- identifying a physical document;
- 25 • identifying and locating an electronic copy of said identified document;
- identifying one or a plurality of pages of said physical document and identifying a part of the identified physical document using the position of points pressed on a touch foil successively placed and aligned over or under said identified pages;

- retrieving from the electronic copy of the physical document, data related to the selected part of the document;
- presenting said retrieved data visually or orally on the user workstation.

Further embodiments of the invention are provided in the appended
5 dependent claims.

Brief description of the drawings

The novel and inventive features believed characteristic of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, further objects and advantages thereof, will best be
10 understood by reference to the following detailed description of an illustrative detailed embodiment when read in conjunction with the accompanying drawings, wherein :

- **Figure 1** shows a preferred embodiment of the present invention.
- **Figure 2** shows how, according to the present invention, a user, using a barcode
15 reader, reads the address (e.g., URL Uniform Resource Locator) of a document encoded on a bar code printed on this document (e.g., at the bottom right corner of the cover) and how information related to this document (e.g., title, author, etc.) can be retrieved from a server and read to the user by means of an electronic reading system.
- 20 • **Figure 3** shows how a user opens a physical document (e.g., at the page where a bookmark has been inserted).
- **Figure 4** shows how, according to the present invention, a user using a barcode
25 reader, can read a page number encoded on a bar code printed at a predefined position on a selected page and how the system decodes and audibly informs the user of the selected page number.

- **Figure 5** shows how a touch foil is placed aligned over a selected page of a physical document according to the present invention.
- **Figure 6** shows how a user selects a part of the physical document by pressing a first point and a second point on a touch foil placed aligned over a selected page.
- 5 • **Figure 7** shows the start point and the end point of the part of the physical document selected by the user, said start point and end point corresponding to the two points over the touch foil previously pressed by the user.
- **Figure 8** shows how, according to the present invention, a request for retrieving information related to a part of a document is sent to a server.
- 10 • **Figure 9** shows how, according to the present invention, data related to the part selected by the user on the physical document is extracted (in bold) from the electronic copy of the document stored on the Server.
- **Figure 10** shows how, according to the present invention, the text corresponding to the selected part of the physical document is downloaded from the server to
15 the user workstation.
- **Figure 11** shows how, according with the present invention, the received text file can be converted to an audio file or can be magnified.
- **Figure 12** shows the steps of the method of selecting a part of a physical document and of providing electronic reading and screen magnification of said
20 selected part.

The invention itself, as well as a preferred mode of use, objects and advantages thereof, can be understood by reference to the following illustrative embodiment described by the accompanying drawings.

Detailed description of the preferred embodiment

The present invention addresses different problems that may arise in reading text, particularly problems that affect visually impaired persons or persons who cannot see or read correctly (e.g., in low light conditions). For instance :

- 5 • a person driving a vehicle may have some difficulties to read a text;
- another person may not have time to read a text;
- bad lighting or display conditions may make difficult or impossible the reading of a text in a printed or displayed form; ...

The present invention allows a blind reader to receive an audible transcription
10 of a selected part of a physical document (for example an audible transcription of a selected text in book).

The present invention also discloses a method for selecting a part of a physical document simply by pressing with a fingertip or a pen a touch foil placed over said document; for identifying data associated with this selected part in a
15 database comprising an electronic copy of the document; for extracting text from said data and for converting this text into speech.

The present invention is directed to a method for use in a user system connected to a network, for retrieving from a server, an electronic copy of a physical document, and information related to said document, and for playing, displaying,
20 reading and/or magnifying on the screen of this user system, the retrieved electronic copy and information related to said document. The method comprises the steps of:

- identifying a physical document selected by a user, preferably by reading, by means of a barcode reader, a document identifier printed on said physical document at a predefined position;
- 25 • identifying a first page selected by the user in said physical document, preferably by reading, by means of a barcode reader, a page identifier printed on said first page at a predefined position;
- determining the position of a first point pressed (e.g. with a fingertip or a pen) on a touch foil placed and aligned over or under the identified first page, said first

point corresponding to the start point of a part selected in said identified document by the user;

if start point and end point of the selected part are on the same page :

- determining the position of a second point pressed (e.g. with a fingertip or a pen)
5 on the touch foil placed and aligned over or under the identified page of said document, said second point corresponding to the end point of said selected part;

if start point and end point are not on the same page :

- identifying a second page selected by the user in said physical document,
10 preferably by reading, by means of a barcode reader, a page identifier printed on said second page at a predefined position;
- determining the position of a second point pressed (e.g. with a fingertip) on the touch foil placed and aligned over or under the identified second page of said document, said second point corresponding to the end point of said selected
15 part;
- identifying the part of the identified physical document that has been selected using the position (e.g. coordinates) of the start point and the end point;
- identifying and locating an electronic copy of the identified document and information related to the selected part of the document;
- 20 • retrieving from the electronic copy of the document, data related to the part of the document selected by the user;
- extracting text data from said data and audibly reading said text data by means of a text-to-speech software;
- optionally or alternatively, magnifying said retrieved data on the user system
25 screen;
- optionally or alternatively, accessing multimedia information or services related to said retrieved data.

Synthetic reading and screen magnification of a selected part of a physical document

As shown in Figure 1, the system according to an embodiment of the present invention comprises:

- 5 • a physical, i.e., hard-copy document (101) (e.g., a book) comprising one or a plurality of pages;
- a physical document interface comprising a touch foil (102) (to be placed over or underneath a page of this document);
- a barcode reader (103);
- 10 • a user workstation (104), connected to
 - the touch foil interface (102);
 - the barcode reader (103);
 - a communication network (105) (e.g., the Internet network);
 - a server (106) (e.g., a Web server).

15 Physical Document

The physical document (101) can be of any kind, for example, a newspaper, a legal document, a geographic map, a fiction novel, an academic text book, a technical book, a commercial catalog or even any other type of engraved, written, or printed surface. The material of the document can be paper, plastic, wood or any
20 other material. For identifying the selected document (101) to the system, a bar code (107) is printed or attached at a well known position on the physical document (e.g., on the front cover, back cover or first page). In the embodiment of the invention shown in Figure 1, the URL (i.e., the internet address) of an electronic document is encoded in a bar code (107). This electronic document stored on a server (106) is
25 the copy of a physical document (101). As illustrated in Figure 3, to identify pages in a document (300), (101) a bar code (301), (302) is printed or attached at a well known position on each document page (e.g., on the bottom left (301) and bottom right corners (302) of the open document (300)). Bar codes are read by means of a barcode reader (103) connected to the user workstation (104).

In an alternate embodiment of the invention, a physical document can be specifically produced for the purpose of accessing information from a tactile system. Compared to the original paper document, this physical document can have a different form, to include, for instance, tactile indications (in Braille, for example) 5 related to the structure and pages of the document. With such a tactile document or book, a blind user can quickly and independently navigate in the document, and can easily mark the sections of text he wish to hear. In this embodiment, to select the same part of text, the server determines from the points selected by the user on the physical document, the corresponding points in the original paper document.

10 **Touch Foil**

The touch foil (102) may be made of transparent resistive or capacitive films of the type used commonly to manufacture touch screens. The generated signal is generally proportional to the coordinates of the point pressed. One example of touch foil it is possible to use is the TouchTek4 (4-wire Analog Resistive Touchscreens) of 15 MICRO TOUCH company (TouchTek™ is a trademark of the MICRO TOUCH Company). The TouchTek4 technology is fully described in the MICRO TOUCH Company's Web site at <http://www.microtouch.com/>.

TouchTek4 touchscreens feature hard-coated polyester topsheets, available in several surface finishes. Spacer dots are available in several dot arrays, optimized 20 for finger, pen and finger, or pen-only input. Electronic control is provided by a serial controller, or by 4-wire controllers. TouchTek4's specifications include narrow inactive border areas and compact touch sensors which allow system designers and OEMs to provide the largest useable screen area and full mouse emulation without sacrificing functionality or consuming excess power. Apart from being suited for 25 implementing the functions of this invention, TouchTek4 touchscreens are commonly used in hand-held personal information management systems, PDAs, mobile computing systems, automotive, diagnostics and telecom devices, and Internet appliances. TouchTek4 touchscreens are engineered to accept more than three million touches to any area of the screen.

Barcode Reader

The barcode reader (103), connected to user workstation (104) is used to identify the documents and pages of the documents selected by the user. One example of barcode reader it is possible to use, is the PenWAND © ComputerWare.

- 5 The PenWAND is a combination of barcode reader and light pen in one hand-held instrument. This is an ideal solution for applications requiring reading of barcodes and screen selection. The specifications of this light pen can be found on the following Web site : <http://www.screendirect.com/barcode.htm>

User Workstation

- 10 In the embodiment of the invention illustrated in Figure 1, the user workstation (104) is used for carrying out the following steps :

- receiving from the barcode reader (103) a code for identifying (107) the document (101) (for instance, an address or an URL Uniform Resource Locator) and the page number (301) selected by the user;
- 15 • receiving from the touch foil (102), (602) the coordinates of the two points (605), (606) touched by the user over the document (601), said points (the start point and the end point) specifying the part of the selected document page that must be read;
- transmitting to a given server (106) means for identifying on said server an electronic copy (or replica, or representation) (900) of the physical document
- 20 (101), (700) and data related to the part of the physical document (701), (702) selected by the user; said identification means comprising :
 - the document identification code (107),
 - the page identification code (301) and
 - 25 • the coordinates of the two points (605), (606) specifying the part (701), (702) of the physical document (700) selected by the user;
- retrieving from the electronic copy of the document on the server (106), data (903) corresponding to the part (701, 702) of the document (700) selected by the user;
- 30 • extracting text data from said data;
- converting this text data to speech (1105) by means of a text-to-speech software;

- optionally, magnifying on the user's display, the text data or the electronic copy corresponding to the selected part (1106) by means of a display magnifying software.

The user workstation (104) is, for example, an Internet appliance, a multimedia Personal Computer (PC), a game console, a cell phone ... The touch foil (102) communicates with the user workstation by means of a cable, a wire pair, an infrared link, or a wireless link. In a particular embodiment, the user workstation (104) is connected to a communication network (105), preferably the Internet network and comprises a Web Browser application.

10 Server

The server (106) is primarily the repository where electronic representations (900) of physical documents (700) are stored. Each electronic representation is associated with a physical document (or publication) by means of the barcode printed on this physical document. The electronic representation of a document includes an exact copy or replica of the original document. This copy includes, for instance, scanned images of pages.

The electronic representation may also include text, text descriptions of graphical elements (such as charts, graphs or illustrations). The server also provides users with additional information such as :

- a speech description (205) of the selected document (such as title, authors, general information); and
- speech instructions related to the selected document (206) (e.g., for informing the user about the position of the barcodes on pages of selected physical document or publication).

25 Method for selecting a part of a physical documents and for providing an electronic reading and screen magnification of this selected part

As shown in Figure 12, the present invention discloses a system, method and computer program for :

- selecting a part of a physical document (preferably a printed publication, like the document shown in Figure 1 entitled "**Early British Kingdoms**"), simply by touching with a fingertip (or pen) over this physical document;
- identifying in an electronic copy (or replica) of the physical document, the part
5 that has been selected by the user;
- extracting text data comprised in the selected part, and
- converting extracted text into electronic speech.

The method comprises the steps of:

- (1201) identifying a physical document, said physical document comprising one
10 or a plurality of pages;
- (1202) selecting and identifying a page of said physical document, said page comprising one or a plurality of printed items;
- determining (1204) the position of a first point pressed (e.g. with a fingertip or
15 pen) on a touch foil placed and aligned (1203) over or under the identified first page, said first point corresponding to the start point of a part selected in said identified document by the user;

if start point and end point of the selected part are on the same page :

- determining (1204) the position of a second point pressed (e.g. with a fingertip or
20 pen) on the touch foil placed and aligned (1203) over or under the identified page of said document, said second point corresponding to the end point of said selected part;

if start point and end point are not on the same page :

- identifying a second page selected by the user in said physical document, preferably by reading, by means of a barcode reader, a page identifier printed on
25 said second page at a predefined position;
- determining (1204) the position of a second point pressed (e.g. with a fingertip or pen) on the touch foil placed and aligned (1203) over or under the identified second page of said document, said second point corresponding to the end point of said selected part;

- (1205) sending to a given server a request for the selected document part, said request comprising an identification of :
 - the physical document,
 - the page(s), and
 - 5 • the selected part of the document;
- (1206) locating on the server an electronic copy (or replica) of the selected physical document;
- (1207) extracting text data related to the part selected on the physical document;
- (1208) receiving on the user workstation, the requested text data;
- 10 • (1209) reading to the user, the received text data using a text-to-speech software on the user workstation.

Figure 2 shows how the user selects a physical document (or publication) (201) (e.g., printed book entitled ***“Early British Kingdoms”***). By means of any user interface (keyboard, mouse, voice recognition software and microphone,...) or any
15 other reading means (e.g., barcode reader ...), the user enters a code or name (207) for identifying the document. In the preferred embodiment shown in Figure 2, the user reads by means of a barcode reader (203) a bar code (207) with the address on the Web (e.g.: the URL ***http://www.virgin.net/170301/***) of the electronic copy (or replica with the same identical format) of the selected physical document (201).
20 The bar code (207), used to identify the document, must be printed or attached at a predefined reserved place on the physical document (e.g., on the front cover, back cover or first page).

The bar code gives access, on the server (106), to information related to the selected physical document, such as:

- 25 • the title (e.g., ***“Early British Kingdoms”***),
- the author's name (e.g., ***“David Nash Ford of Binfield, Berkshire, UK”***),
- the date of the publication (e.g., ***“28 / 01/ 1999”***) ,
- the ISBN (International Standard Book Number) (e.g., ***“84-344-0856-2”***), etc.

This information about the selected physical document is transmitted from the server (106) to the user workstation (204) as a text file. This text file is then converted to electronic voice (205) by means of a text-to-speech software operating on the user workstation.

5 The user workstation can also receive from the server (106) operational instructions (206) for locating page numbers barcodes on the pages of the selected physical document or publication (e.g., ***"Page number codes are located on bottom left and bottom right corners of pages"*** ...). These operational instructions are transmitted to the user by means of the text-to-speech software
10 operating on the user workstation.

Figure 3 shows how a user opens a physical document (300) at the page where a bookmark has been inserted (e.g., on ***"Page 16"***). This figure also shows how on each page of the document (e.g., ***"Page 16"***, ***"Page 17"***), a bar code (301), (302) with a page number, is printed on a predefined and fixed position, already
15 known by the user.

Figure 4 shows how a user selects a page of physical document (401) and how the number of the selected page is identified by scanning by means of barcode reader (403), the bar code (405) encoding the page number. After decoding the scanned bar code, the user workstation (404) informs the user (406) by means of an
20 electronic voice, of the selected page number (e.g., ***"Page sixteen !"***).

Alternate embodiments for identifying pages of a document exists and can be used with the present invention. An example is given by a document having page numbers printed as text. It is possible to identify a page of the document by scanning on the page the place where the page number is printed. A scanning
25 device can be integrated with the barcode scanner described previously. The scanning device can also be used separately like the Quicklink Pen Personal Scanner described in the specifications of the present application.

Figure 5 shows how a user places a touch foil (502) over a page of a physical document, aligning the borders of the touch foil and the document using some conventional means (505) (e.g., by adjusting the upper left corner of the touch foil with the upper left corner of the page).

5 Figure 6 shows how, according to a particular embodiment of the present invention, it is possible to define a part of a physical document (601). The user presses (e.g., with a fingertip or pen) (1) on a first point (605) and then (2) on a second point (606) over the touch foil (602) placed aligned over the selected page (e.g., over **"Page 16"** of the publication entitled **"Early British Kingdoms"**). When
10 the user has finished to press the points defining the selected part that he desires to hear and that must be electronically read, she/he (3) then presses on the keyboard of the user workstation (604) a reserved READ key (607), informing the system to initiate the task of locating and reading the selected document part. Coordinates of the points (605), (606) pressed by the user on the touch foil (602) are transmitted
15 from the touch foil to the user workstation (604).

The selection of a part of a physical document using a touch foil, can be done according to various forms. For example, in a particular embodiment of the invention, if the user touches a single point on the touch foil and then presses the READ key, this operation is equivalent to a command for reading the full document
20 from this point (possibly until the user presses a STOP READ reserved key on the user workstation keyboard). Also, if the user selects a first page and indicates a first point on this first page, and then selects a second page and indicates a second point on this second page, and then presses the READ key, this operation is equivalent to a command for reading the document from the first point selected on the first page
25 to the second point selected on the second page. It is now apparent that other arrangements can be implemented by those skilled in the art for correlating a plurality of points selected by a user with a part of a physical document.

Figure 7 shows in detail two points (701), (702) on a page of a physical document (700). These two points correspond to the points (605), (606) pressed by
30 the user on the touch foil (602).

Figure 8 shows how the user workstation (804) sends a request (807) related to a part (701), (702) of a physical document (700) to a server (806). The request comprises an identification of:

- the physical document,
- 5 • the selected page, and
- the coordinates of the part selected by the user.

In the example illustrated in Figure 8, the HTTP request:

http://www.virgin.net/170301/?&Page=16&Xf=27&Yf=43&Xt=152&Yt=168

specifies:

- 10 • the URL of the physical document (e.g., ***http://www.virgin.net/170301/***),
- the page number (e.g., ***"Page=16"***), and
- the coordinates of the part selected by the user (e.g., From: ***Xf=27, Yf=43*** ; To: ***Xt=152, Yt=168***).

In the example illustrated in Figure 8, when the server (806) (e.g.,
15 ***"www.virgin.net"***) receives the HTTP request, this request is parsed to find the physical document reference number (e.g., ***"170301"***). This physical document reference number (or code) is then used to search on the server for the electronic copy (e.g., ***"170301.PDF"***) of the physical document (same format and same content).

20 The HTTP request is also parsed to find the page of the physical document (e.g., ***"Page=16"***) selected by the user and the coordinates specifying the selected part of the physical document (e.g., From: ***Xf=27, Yf=43*** ; To: ***Xt=152, Yt=168***) on the server.

Figure 9 illustrate how, in a particular embodiment of the invention, the server
25 (806) uses the information comprised in the HTTP request (807) :

- document reference number,
- page number, and
- coordinates of points defining the part of the document selected by the user,

to locate and extract from the electronic copy (e.g., **"170301.PDF"**) replica of the physical document (801), text data (903) (in bold) corresponding to the part of physical document (701), (702) selected by the user. The extracted text data is formatted by the server in the form of a text file (e.g., **"SELECTION.TXT"**) and is
5 transmitted as reply to the request (807) previously received from user workstation (804).

It is important to note that different methods can be used to determine, from the coordinates of the points selected (701), (702) on the touch foil, the text data (903) that must be must be extracted from the electronic copy (from point 901 to
10 point 902). In the example illustrated in Figure 9, incomplete words are excluded from the head and from the tail of the text string comprised in the selected part of the physical document.

The server can also receive from the user workstation a HTTP request (such as "&format=magnifyOriginal") to view a magnified image of a part of the original
15 document. The server sends back a reply including an image of the selected part of the same format and appearance than the original document. This image is magnified on the display of the user workstation..

The information returned by the server (806) in reply to the request (807) received from user workstation (804) can be different than the exact transcription (as
20 a text file) of the data printed on the physical document. In fact, nothing prevents the server (806), to reply with any kind of multimedia information (e.g., a combination of a long text description with music or songs). This multimedia information can be linked (or even hyperlinked) with different parts of the physical document that the user can select. Therefore, the invention is not limited to a mechanism for reading
25 (i.e., for speaking by means of text-to-speech transcription) text printed on a physical document to a blind user, but the invention is also directed to a mechanism for accessing from a physical document, all kinds of multimedia information or services available on the Web

Figure 10 shows how, in reply to request of a user for accessing information
30 from a selected part (701), (702) of a physical document, text data (903) extracted from (or associated with) the selected part on the electronic copy of the document

(900), is downloaded (1007) as a text file (e.g., "**SELECTION.TXT**") from the server (1006) to the user workstation (1004).

Figure 11 shows how the text file (e.g., "**SELECTION.TXT**"), once received by the user workstation (1104), is converted into an audio file (.aiff, .wav, .au file) by means of a text-to-speech software and is played (1105) to the user. This figure shows also, how the received text is magnified (1106) on the user workstation display by means of a screen magnifying software.

What has been described is merely illustrative of the application of the principles of the present invention. Other arrangements and methods can be implemented by those skilled in the art without departing from the spirit and scope of the present invention.

Claims

What is claimed is:

1. A method for use in a user system, for accessing information related to a physical document, said method comprising the steps of :

- 5 • identifying a physical document;
• identifying and locating an electronic copy of said identified document;
• identifying one or a plurality of pages of said physical document and identifying a part of the identified physical document using the position of points on said identified pages;
- 10 • retrieving from the electronic copy of the physical document, data related to the selected part of the document;
• presenting said retrieved data visually or orally on the user system.

2. The method according to the preceding claim wherein the step of identifying one or a plurality of pages of said physical document and identifying a part of the
15 identified physical document using the position of points on said identified pages;

- pressing said points on a touch foil successively placed and aligned over or under said identified pages.

3. The method according to any one of the preceding claims wherein said physical document and pages in said physical document are selected by a user.

20 4. The method according to any one of the preceding claims wherein a point on a touch foil is pressed with a fingertip or a pen.

5. The method according to any one of the preceding claims wherein the step of identifying one or a plurality of pages of said physical document and identifying a selected part of the identified physical document using the position of points pressed
25 on a touch foil successively placed and aligned over or under said identified pages, comprises the further steps of :

- identifying a first page in said physical document;
- determining the position of a first point pressed on the touch foil placed and aligned over or under the identified first page, said first point corresponding to the start point of a part selected in said identified document;

5 if start point and end point of the selected part are on a same page :

- determining the position of a second point pressed on the touch foil placed and aligned over or under the identified page of said document, said second point corresponding to the end point of said selected part;

if start point and end point are not on a same page :

- 10 • identifying a second page in said physical document;
- determining the position of a second point pressed on the touch foil placed and aligned over or under the identified second page of said document, said second point corresponding to the end point of said selected part.

identifying the selected part of the identified physical document using the position of

15 the start point and the end point.

6. The method according to any one of the preceding claims wherein the step of presenting said retrieved data orally, comprises the further steps of :

- extracting text data from said data;
- converting said text data into data that can be electronically read.

20 7. The method according to any one of the preceding claims wherein the step of converting said text data into data that can be electronically read, comprises the further step of :

- audibly reading said text data by means of a text-to-speech system.

25 8. The method according to any one of the preceding claims wherein the step of presenting said retrieved data visually, comprises the further step of :

- magnifying the retrieved data on a screen.

9. The method according to any one of the preceding claims wherein the step of magnifying the retrieved data on a screen, comprises the step of:

- magnifying on a screen the electronic copy of the selected part of the physical
5 document.

10. The method according to any one of the preceding claims wherein the electronic copy of the document is an exact replica of the physical document.

11. The method according to any one of the preceding claims wherein the document identifier is an address to access the electronic copy of the physical document.

10 12. The method according to any one of the preceding claims wherein the step of presenting the retrieved data on a screen, comprises the step of:

- enhancing on a screen the electronic copy of the selected part of the physical document to match the user's preferred reading view.

13. The method according to any one of the preceding claims wherein the step of
15 identifying a physical document, comprises the further step of :

- reading, by means of a barcode reader, a document identifier printed on said physical document at a predefined position.

14. The method according to any one of the preceding claims wherein the step of identifying a page in said physical document, comprises the step of :

- 20 • reading, by means of a barcode reader, a page identifier printed on said page at a predefined position.

15. The method according to any one of the preceding claims wherein the step of retrieving from the electronic copy of the document, data related to the selected part of the document; comprises the further steps of :

identifying and locating information and/or services associated with the selected part
5 of the document; and

- retrieving said information and/or services;
- reading or magnifying or playing or displaying said information and/or services on the user workstation.

16. The method according to the preceding claim wherein said information
10 associated with the selected part of the document, comprises :

- a speech description of graphical data related to the selected part of the document.

17. The method according to the preceding claim wherein the step of identifying and locating an electronic copy of the identified document, comprises the further steps of
15 :

identifying and locating information and/or services associated with the physical document; and

- retrieving said information and/or services;
- reading or magnifying or playing or displaying said information and/or services on
20 the user workstation.

18. The method according to the preceding claim wherein the information associated with the physical document, comprises :

- a speech description of the physical document; and/or
- speech instructions related to the physical document.

25 19. The method according to the preceding claim comprising the preliminary steps of:

- creating an electronic copy of the physical document;
- associating information and/or services with said electronic copy.

20. The method according to any one of the preceding claims wherein said user system is connected to a communication network comprising one or plurality of
5 servers, and wherein the electronic copy of the physical document is located on one of said plurality of servers.

21. The method according to any one of claims 1 to 19 wherein the electronic copy of the physical document is located on the user system.

22. The method according to any one of the preceding claims wherein said user
10 system is connected to a communication network comprising one or plurality of servers, and wherein the information and/or services associated with said physical document are located on one or a plurality of said servers.

23. The method according to any one of claims 1 to 21 wherein the electronic copy of the physical document and the information and/or services associated with said
15 physical document are located on the user system.

24. The method according to any one of claims 19 and 21 wherein :

- the communication network is an Internet network;
- the one or plurality of servers are Web servers;
- the document identifier is an internet address;

20 25. The method according to any one of the preceding claims wherein said physical document comprises Braille indications.

26. A user system comprising means adapted for carrying out the steps of the method according to any one of the preceding claims.

27. A system comprising:

- a user system according to the preceding claim optionally connected to a communication network;
- a touch foil to be placed over or under a page of a physical document for :
 - detecting a pressure exercised over one or a plurality of point of its surface;
 - 5 and
 - determining the coordinates of said one or plurality of points;
- a connection between said touch foil and the user system;

28. The system according to the preceding claim further comprising :

- a bar code reader connected to said user system for reading bar codes on the
10 physical document.

29. A computer program comprising instructions for carrying out the steps of the method according to any one of claims 1 to 25, when said computer program is executed on the user system according to claim 26.

SYSTEM AND METHOD TO ENABLE BLIND PEOPLE TO HAVE ACCESS TO INFORMATION PRINTED ON A PHYSICAL DOCUMENT

Abstract

The present invention is directed to a user system, a method for use in a user
5 system, and a computer program for accessing information related to a physical
document. The method comprises the steps of :

- identifying a physical document;
- identifying and locating an electronic copy of said identified document;
- identifying one or a plurality of pages of said physical document and identifying a
10 part of the identified physical document using the position of points pressed on a
touch foil successively placed and aligned over or under said identified pages;
- retrieving from the electronic copy of the physical document, data related to the
selected part of the document;
- presenting said retrieved data visually or orally on the user workstation.

15 Figure 6

THIS PAGE BLANK (USPTO)




Fig. 1: Main components of the invention




Fig. 2: The user scans with a barcode reader the document URL on a fixed position of physical document. The document title and author are read to the user.




Fig. 3: The user opens the physical document (e.g., on the page with a bookmark)




Fig. 4: The user scans with a barcode reader the page number. The user is informed of this page number.




Fig. 5: The user places a touch foil over a selected page




Fig. 6: To select a part of the physical document, the user presses (e.g., with a finger) one or several points on the touch foil placed over the selected page

(700)

From (701)

Arthur the Myth

Some people believe that King Arthur is so inextricably tied up in Celtic Mythology that he must, in origin, have been, not a man at all, but a God. Like so many other characters featured in the Mabinogion, Arthur in his earliest form, appears almost entirely mythical. He and his companions have superhuman strength and abilities, and consort with giants and other mythological creatures.

In the early Welsh poem "Preiddeu Annwfn", Arthur visits the Celtic Underworld, Annwfn. Even in Geoffrey and Malory, upon being fatally wounded in battle, Arthur is carried to the mystical Avalon, apparently the Underworld home of the Celtic god, Afallach. Many legends around the country attest to Arthur's immortality, for he sleeps in one of numerous caves waiting to return and lead his people. The name Arthur itself appears to derive from the Celtic word Art, meaning "bear". Could Arthur, like so many other Celtic gods, be merely a personification of the many revered animals of the wild? Later to become humanized like Beli Mawr or Bran the Blessed. The constellation of Ursa Major or the Great Bear is, after all, sometimes known as Arthur's Wain. There was indeed a Celtic Bear-God, Artio, worshipped in Switzerland and around Trier, but she was, in fact, a goddess and there is no trace of her in Britain! Some theorists claim Arthur was a late addition to the Celtic pantheon during a resurgence in pagan worship, or possibly a mythical hero, the offspring of a human.

To (702)

- 16 -




Fig. 7: Points selected by the user by means of the touch foil




Fig. 8: A request is sent to the server with means for identifying the selected part of the document




Fig. 9: Text data related to the selected part of the document is extracted (in bold) from the electronic copy of the document




Fig. 10: The text is downloaded as a text file from the server to the user workstation




Fig. 11: Received text is displayed, magnified and converted from text to speech audio files




Fig. 12: Method for selecting a part of a physical document and for providing an electronic reading and screen display of said selected part